

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	((@ad<"20040130" @rlad<"20040130") and (370/351-357,399,395.2,395.3,395.54,409,419-420,469.ccls. 455/436.ccls. 709/220-223,227-229,245,249,200.ccls. 358/1.15,400.ccls. "707". clas.) and ((table list\$5 directory index database dataset file registered registry range mask\$5 prefix selection select allocat\$5 allot\$5 assign\$5 pool candidate available) with (address) with (dedicated exclusive\$3 reserved separat\$5 independent\$2 dual\$4 available unused candidate prospect\$5 subset sub-set pool only permanent\$5 fixed) with (caller sending\$5 transmitting\$5 initiating initiator origin\$5 source outbound out-bound outgoing out-going)).ab. AND ((table list\$5 directory index database dataset file registered registry range mask\$5 prefix selection select allocat\$5 allot\$5 assign\$5 pool candidate available) with (address) with (dedicated exclusive\$3 reserved separat\$5 independent\$2 dual\$4 available unused candidate prospect\$5 subset sub-set pool only permanent\$5 fixed) with (callee called inbound in-bound incoming in-coming receiving\$3 destination target)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/02 09:17
L2	21	((@ad<"20040130" @rlad<"20040130") and (370/351-357,399,395.2,395.3,395.54,409,419-420,469.ccls. 455/436.ccls. 709/220-223,227-229,245,249,200.ccls. 358/1.15,400.ccls. "707". clas.) and (VOIP) and (tunnel\$5) and ((table list\$5 directory index database dataset file registered registry range mask\$5 prefix selection select allocat\$5 allot\$5 assign\$5 pool candidate available) with (address) with (dedicated exclusive\$3 reserved separat\$5 independent\$2 dual\$4 available unused candidate prospect\$5 subset sub-set pool only permanent\$5 fixed) with (caller sending\$5 transmitting\$5 initiating initiator origin\$5 source outbound out-bound outgoing out-going)) AND ((table list\$5 directory index database dataset file registered registry range mask\$5 prefix selection select allocat\$5 allot\$5 assign\$5 pool candidate available) with (address) with (dedicated exclusive\$3 reserved separat\$5 independent\$2 dual\$4 available unused candidate prospect\$5 subset sub-set pool only permanent\$5 fixed) with (callee called inbound in-bound incoming in-coming receiving\$3 destination target))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/02 09:37

EAST Search History (Interference)

<This search history is empty>

11/ 2/ 2011 9:59:54 AM

C:\ Documents and Settings\ gbenzon\ My Documents\ EAST\ Workspaces\ GCB 10597496 Reusable tunnel address per device endpoint5.wsp